

## SOII-ASTI-TARDE-2S2010-notas

RA	P1	P2	SUB	SHELL			MFF
922901							<b>0</b>
912903	<b>5.00</b>	<b>1.50</b>	insuficiente	<b>1.2</b>			<b>2.84</b>
922902	7.25	6.25	P2=5.25	<b>3.0</b>			6
912942							<b>0</b>
922803	6.25	<b>1.00</b>	insuficiente	<b>1.2</b>			<b>3.14</b>
62206							<b>0</b>
40191012033	<b>3.75</b>	<b>0.00</b>	insuficiente				<b>1.5</b>
40191012026	<b>4.00</b>	<b>1.00</b>	insuficiente	<b>3.0</b>			<b>2.6</b>
40191012005	6.00	<b>1.50</b>	insuficiente				<b>3</b>
40191012025	6.50	<b>2.50</b>	insuficiente	<b>3.0</b>			<b>4.2</b>
922945	8.50	6.50					6
922908							<b>0</b>
40191012027	7.00	<b>0.75</b>	insuficiente	<b>3.0</b>			<b>3.7</b>
40191012042	10.00	<b>5.25</b>	P1=4.5	6.0			7.3
40191012012	10.00	6.75		10.0			8.7
40191012009	6.75	<b>1.25</b>					<b>3.2</b>
40191012008	<b>3.50</b>	<b>0.00</b>	insuficiente	<b>3.0</b>			<b>2</b>
912913	6.00	<b>3.50</b>	insuficiente	<b>1.2</b>			<b>4.04</b>
40191012015	6.75	8.25	P2=3.75				6
912919	6.50	<b>4.00</b>	p2=sub				<b>4.2</b>
40191012039	6.25	<b>2.00</b>	insuficiente				<b>3.3</b>
40191012040	9.25	6.75		10.0			8.4
40191012002	7.75	7.25	P2=1.5				6
40191012016							<b>0</b>
40191012037	9.00	6.50		6.0			7.4
40191012029	8.50	<b>5.00</b>	insuficiente				<b>5.4</b>
912941	<b>0.00</b>	<b>1.00</b>	insuficiente				<b>0.4</b>
912930	7.25	<b>3.00</b>	insuficiente	<b>1.2</b>			<b>4.34</b>
912327	<b>4.00</b>						<b>1.6</b>
40191012019	<b>4.50</b>	<b>2.25</b>	insuficiente	<b>3.0</b>			<b>3.3</b>
922936	<b>5.75</b>	<b>1.50</b>	insuficiente	<b>0.0</b>			<b>2.9</b>
922937	<b>3.00</b>	<b>2.25</b>	insuficiente	<b>3.0</b>			<b>2.7</b>
40191012003	8.75	7.50					6.5