



Chapter 11: File-System Interface

Capítulo 10 no livro adotado !

- File Concept
- Access Methods
- Directory Structure
- File System Mounting
- File Sharing
- Protection





File Concept

- Contiguous logical address space

- Types:


- ◆ Data

- ✓ numeric

- ✓ character

- ✓ binary

- ◆ Program





File Structure

- None - sequence of words, bytes
- Simple record structure
 - ◆ Lines
 - ◆ Fixed length
 - ◆ Variable length
- Complex Structures
 - ◆ Formatted document
 - ◆ Relocatable load file
- Can simulate last two with first method by inserting appropriate control characters.
- Who decides:
 - ◆ Operating system
 - ◆ Program





File Attributes

- **Name** – only information kept in human-readable form.
- **Type** – needed for systems that support different types.
(O sistema operacional reconhece pelo menos 1 tipo: **O EXECUTÁVEL - o loader precisa saber o formato**)
- **Location** – pointer to file location on device.
- **Size** – current file size.
- **Protection** – controls who can do reading, writing, executing.
- **Time, date, and user identification** – data for protection, security, and usage monitoring.
- Information about files are kept in the directory structure, which is maintained on the disk.





File Operations


- Create
- Write
- Read
- Reposition within file – file seek
- Delete
- Truncate
- $\text{Open}(F_i)$ – search the directory structure on disk for entry F_i , and move the content of entry to memory.
- $\text{Close}(F_i)$ – move the content of entry F_i in memory to directory structure on disk.





File Types – Name, Extension

file type	usual extension	function
executable	exe, com, bin or none	read to run machine-language program
object	obj, o	compiled, machine language, not linked
source code	c, cc, java, pas, asm, a	source code in various languages
batch	bat, sh	commands to the command interpreter
text	txt, doc	textual data, documents
word processor	wp, tex, rrf, doc	various word-processor formats
library	lib, a, so, dll, mpeg, mov, rm	libraries of routines for programmers
print or view	arc, zip, tar	ASCII or binary file in a format for printing or viewing
archive	arc, zip, tar	related files grouped into one file, sometimes compressed, for archiving or storage
multimedia	mpeg, mov, rm	binary file containing audio or A/V information





Access Methods


■ Sequential Access

read next
write next
reset
no read after last write
(rewrite)

■ Direct Access


read n
write n
position to n
read next
write next
rewrite n

n = relative block number





Sequential-access File






Simulation of Sequential Access on a Direct-access File

sequential access	implementation for direct access
<i>reset</i>	<i>cp = 0;</i>
<i>read next</i>	<i>read cp;</i> <i>cp = cp+1;</i>
<i>write next</i>	<i>write cp;</i> <i>cp = cp+1;</i>






Example of Index and Relative Files: variação de acesso direto





Directory Structure

- A collection of nodes containing information about all files.





Both the directory structure and the files reside on disk.
Backups of these two structures are kept on tapes.





A Typical File-system Organization





Information in a Device Directory

- Name
- Type
- Address
- Current length
- Maximum length
- Date last accessed (for archival)
- Date last updated (for dump)
- Owner ID (who pays)
- Protection information (discuss later)





Operations Performed on Directory

- Search for a file
- Create a file
- Delete a file
- List a directory
- Rename a file
- Traverse the file system





Organize the Directory (Logically) to Obtain: **porque utilizar diretórios?**


- **Efficiency** – locating a file quickly.
- **Naming** – convenient to users.
 - ◆ Two users can have same name for different files.
 - ◆ The same file can have several different names.
- **Grouping** – logical grouping of files by properties, (e.g., all Java programs, all games, ...)






Single-Level Directory

- A single directory for all users.



Naming problem


Grouping problem





Two-Level Directory

- Separate directory for each user.





- Path name
- Can have the same file name for different user
- Efficient searching
- No grouping capability





Tree-Structured Directories





Tree-Structured Directories (Cont.)

- Efficient searching
- Grouping Capability
- Current directory (working directory)
 - ◆ **cd** /spell/mail/prog
 - ◆ **type** list





Tree-Structured Directories (Cont.)

- **Absolute** or **relative** path name
- Creating a new file is done in current directory.
- Delete a file


rm <file-name>

- Creating a new subdirectory is done in current directory.


mkdir <dir-name>

Example: if in current directory **/mail**

mkdir count




Deleting “mail” ⇒ deleting the entire subtree rooted by “mail”.





Acyclic-Graph Directories (USO DE LINKS - soft + hard)

- Have shared subdirectories and files.





Acyclic-Graph Directories (Cont.)

- Two different names (aliasing)
- If *dict* deletes *list* \Rightarrow dangling pointer.



Solutions:

- ◆ Backpointers, so we can delete all pointers.
Variable size records a problem.
- ◆ Backpointers using a daisy chain organization.
- ◆ Entry-hold-count solution.






General Graph Directory





General Graph Directory (Cont.)

- How do we guarantee no cycles?
 - ◆ Allow only links to file not subdirectories.
 - ◆ Garbage collection.
 - ◆ Every time a new link is added use a cycle detection algorithm to determine whether it is OK.







File System Mounting

- A file system must be **mounted** before it can be accessed.
- A unmounted file system (I.e. Fig. 11-11(b)) is mounted at a **mount point**.






(a) Existing. (b) Unmounted Partition




Mount Point





File Sharing

- Sharing of files on multi-user systems is desirable.
- Sharing may be done through a *protection* scheme.
- On distributed systems, files may be shared across a network.
- Network File System (NFS) is a common distributed file-sharing method.






Protection

■ File owner/creator should be able to control:

- ◆ what can be done
- ◆ by whom

■ Types of access

- ◆ Read
- ◆ Write
- ◆ Execute
- ◆ Append
- ◆ Delete
- ◆ List






Access Lists and Groups

- Mode of access: read, write, execute
- Three classes of users

			RWX
a) owner access	7	⇒	1 1 1
			RWX
b) group access	6	⇒	1 1 0
			RWX
c) public access	1	⇒	0 0 1

- Ask manager to create a group (unique name), say G, and add some users to the group.
- For a particular file (say *game*) or subdirectory, define an appropriate access.



Attach a group to a file

chgrp G game

